


Fig 1



BEST AVAILABLE COPY

Fig 2



EMA-1



AP




Phase



SSEA-1

BEST AVAILABLE COPY

Fig.3



BEST AVAILABLE COPY

Fig 4



BEST AVAILABLE COPY


Fig 5



BEST AVAILABLE COPY


Fig 6

pCxGFP/Puro




BEST AVAILABLE COPY

Fig 7




ES cells expressing EGFP



Same field under phase

BEST AVAILABLE COPY

Fig 8




1.

2.

BEST AVAILABLE COPY

Fig 9




BEST AVAILABLE COPY

BEST AVAILABLE COPY

BEST AVAILABLE COPY

FIG 10A

Ov7.5




* Location of engineered restriction sites

Part of the intron sequences

BEST AVAILABLE COPY


FIG 10B Expression of anti-dansyl MAb in tubular gland cells
of 2-week female chimeras induced by estrogen



BEST AVAILABLE COPY


RT-PCR OV10 Experiment

FIG 10C



RT-PCR OV10 Experiment


FIG 10D



BEST AVAILABLE COPY

FIG 11

PCR analysis of BAC-A ES cells



BEST AVAILABLE COPY

Fig 12






Fig 13





BEST AVAILABLE COPY

Fig 14



BEST AVAILABLE COPY

Fig 15



BEST AVAILABLE COPY

Fig 16



BEST AVAILABLE COPY

Fig 17




BEST AVAILABLE COPY

Fig 18




BEST AVAILABLE COPY

Fig 19



BEST AVAILABLE COPY

Fig 20



BEST AVAILABLE COPY

Fig 21





Fig 22

Flow cytometric analysis of green fluorescence from Dispersed brain cells from juvenile chimeras. Cell count on y-axis, fluorescence intensity on x-axis.

- 1 - chimeras made with untransfected cES cells
- 2 - chimeras made with cES cells stably transfected with GFP

Light Illumination



UV Illumination




Fig 23